





# 32 Series Ø .500" (12.7mm) Neon, Incandescent Panel Mount Indicator



Wide variety of lenses, colors, voltage & bezel variations. Quickly press fit into a .500" mounting hole with panel thickness range of .020" min. to .090" max.



## Key Features

- Mounting hole size: .500" (12.7mm) - .510" (12.9mm)
- Lamp type: neon and incandescent
- Lens type options: flush, hi-dome, and hi-hat
- Lens color options: red, green, amber, and white
- Incandescent voltage options: 14V-28V
- Neon voltage option: 125V
- Housing: white nylon
- Bezel: nickel plated brass
- Lens: polycarbonate
- 3/16" Tab Terminals: brass, (0.187" length x 0.020" thick). For LED units, a tin plated terminal denotes the anode (+). 1/4" or 1/8" brass tab terminals are available
- Two 6" wire leads: #20 AWG, black, bare copper, PVC insulated, UL/CSA rated 105°C, 600 V, UL style 1015, stripped 1/2"
- For custom black housing, black bezel, custom cable length, connectors or colors contact VCC
- cULus Certified (UL File E20356)
- CE Certified
- Compliant with RoHS and REACH



## Ordering Data

### 32 Series (Hi-Hat Lens with No Bezel)



Example:  
**32-2111**

### 32 Series (Hi-Hat Lens with Bezel)



Example:  
**32R-2112T**

Part Number	Lens Color	Lens Type	Bezel	Voltage	Watts or Amps	Terminals	Lamp Type	Life (Hrs)
32-2111	Red	Hi-Hat	No	125V	1/3W	Wire Leads	Neon	25,000
32-2113	Amber	Hi-Hat	No	125V	1/3W	Wire Leads	Neon	25,000
32-2115	White	Hi-Hat	No	125V	1/3W	Wire Leads	Neon	25,000
32R-2111	Red	Hi-Hat	Yes	125V	1/3W	Wire Leads	Neon	25,000

32RG3-2111	Red	Hi-Hat	Yes	14V	.10A	Wire Leads	Incandescent	10,000
------------	-----	--------	-----	-----	------	------------	--------------	--------

Part Number	Lens Color	Lens Type	Bezel	Voltage	Watts or Amps	Terminals	Lamp Type	Life (Hrs)
-------------	------------	-----------	-------	---------	---------------	-----------	-----------	------------

32-2111T	Red	Hi-Hat	No	125V	1/3W	Tab Terminals	Neon	25,000
32-2113T	Amber	Hi-Hat	No	125V	1/3W	Tab Terminals	Neon	25,000
32R-2111T	Red	Hi-Hat	Yes	125V	1/3W	Tab Terminals	Neon	25,000
32R-2112T	Green	Hi-Hat	Yes	125V	1/3W	Tab Terminals	Neon	25,000
32R-2113T	Amber	Hi-Hat	Yes	125V	1/3W	Tab Terminals	Neon	25,000

32RG18-2113T	Amber	Hi-Hat	Yes	28V	.04A	Tab Terminals	Incandescent	7,000
--------------	-------	--------	-----	-----	------	---------------	--------------	-------

## Ordering Data

### 32 Series (Hi-Dome Lens with Bezel)



Example:  
32R-2213

Part Number	Lens Color	Lens Type	Bezel	Voltage	Watts or Amps	Terminals	Lamp Type	Life (Hrs)
32R-2211	Red	Hi-Dome	Yes	125V	1/3W	Wire Leads	Neon	25,000
32R-2213	Amber	Hi-Dome	Yes	125V	1/3W	Wire Leads	Neon	25,000

### 32 Series (Flush Lens with Bezel)




Example:  
32R-2311


Part Number	Lens Color	Lens Type	Bezel	Voltage	Watts or Amps	Terminals	Lamp Type	Life (Hrs)
32R-2311	Red	Flush	Yes	125V	1/3W	Wire Leads	Neon	25,000

## Product Dimensions



### Hi-Hat Lens




### Hi-Dome Lens



### Flush Lens



### Recommended Mounting Hole



### Notes:

1. All dimensions are in inches
2. The specifications, characteristics and technical data described in the datasheet are subject to change without prior notice.

## Compliances and Approvals

